



BC43-EM EM prox and PIN reader

Access Control

-
- **Built-in keypad**
 - **Combined access control with both card and PIN**
 - **Robust design and vandal-resistant**

The BC43-EM is a proximity reader with a built-in keypad for SiPass Entro or SiPass Entro Lite. The built-in keypad offers the possibility of combined access control with both a card and a PIN for higher security. The robust design of the metal casing protects the reader against tampering and makes it extremely vandal-resistant.

Technical data

Housing	Zinc casting lacquered metallic paint finish with stainless steel keys and security lock.
Colour	Grey
Environment	Indoor or outdoor use
IP rating	54
Operating temperature	-35 to +50 °C
Operating voltage	12 to 24 VDC. Powered from controller unit.
Current consumption	50 mA
Dimensions (WxHxD)	110 x 160 x 47 mm
Inputs	Tamper switch internal/external (normally closed)
Card read distance	Up to 3 cm with passive card

Details for ordering

Type	Part no	Designation	Weight
BC43-EM	S24246-F3904-A1	EM prox and PIN reader	1,35 kg
BC43-Cotag	S24246-F4707-A1	Cotag prox and PIN reader	1,35 kg

Siemens Switzerland Ltd
Building Technologies Group
International Headquarters
Fire Safety & Security Products
Gubelstrasse 22
CH-6301 Zug
Tel. +41 41 724 24 24
Fax +41 41 724 35 22
www.sbt.siemens.com

© 2007 Copyright by
Siemens Switzerland Ltd
Data and design subject to change without notice.
Supply subject to availability.

Document no. **A6V10081537**
Edition 08.2005

Manual xx
Section x